

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	210	optical adj touch adj paNEL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 12:52
L2	10599	piezoelectric adj substrate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 12:51
L3	3100	piezoelectric adj substrate\$1 and pair	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 12:51
L4	1	optical adj touch adj paNEL and piezoelectric adj substrate\$1 and pair	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 12:52
L5	4	L1 and l2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 12:52
L6	3	optical adj touch adj paNEL and (piezoelectric and substrate\$1 and (pair or two or multiple))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 13:11
L7	311	(piezoelectric adj substrate\$1 adj (pair or two or multiple))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 13:12
L8	11	(piezoelectric adj substrate\$1 adj (pair or two or multiple)) and touch adj (panel or screen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 13:38
L9	2	(piezoelectric adj substrate\$1 adj (pair or two or multiple)) and (touch adj (panel or screen) and optical)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 13:13
L10	1	"20030067449" and orthogonal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 13:24

L11	0	"20030067449" and orthogonal and optical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 13:24
L12	0	"20030067449" and orthogonal and optic\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 13:24
L13	1	"4567480".pn. and optical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 13:26
L14	1	"4567480".pn. and optical and piezoelectric and substrates	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 13:26
L15	2	"20010050677"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 13:28
L16	1	"20010050677" and piezoelectric and optical and substrates	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 13:29
L17	1	(piezoelectric adj substrate\$1 adj (pair or two or multiple)) and touch adj (panel or screen) and elongat\$6 and narrow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 13:39
L18	5	(piezoelectric adj substrate\$1 adj (pair or two or multiple)) and elongat\$6 and narrow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 13:44
L19	5	(piezoelectric adj substrates adj (pair or two or multiple)) and elongat\$6 and narrow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 13:44
S1	284	pointing adj input adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:38

S2	232	pointing adj input adj device and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:38
S3	61	pointing adj input adj device and display and transparent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:38
S4	9	pointing adj input adj device and display and transparent and protect\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:49
S5	2	pointing adj input adj device and display and transparent and protect\$6 and laminat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:41
S6	2	pointing adj input adj device and display and transparent and protect\$6 and laminat\$6 and optical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:41
S7	2	pointing adj input adj device and display and transparent and protect\$6 and laminat\$6 and optical and light and beam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 13:08
S8	6	pointing adj input adj device and display and transparent and protect\$6 and substrate\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 11:48
S9	2	pointing adj input adj device and display and transparent and protect\$6 and substrate\$1 and narrow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:50
S10	2	pointing adj input adj device and display and transparent and protect\$6 and substrate\$1 and narrow and elongat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:53
S11	2	pointing adj input adj device and display and transparent and protect\$6 and laminat\$6 and optical and light and beam and substrate\$1 and narrow and elongat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 13:45

S12	40	input adj device and point\$6 and display and transparent and protect\$6 and laminat\$6 and optical and light and beam and substrate\$1 and narrow and elongat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 13:46
S13	2	input adj device and point\$6 adj input\$6 and display and transparent and protect\$6 and laminat\$6 and optical and light and beam and substrate\$1 and narrow and elongat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 13:46
S14	210	optical adj touch adj paNEL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 14:59
S15	5	optical adj touch adj paNEL and transparent adj protect\$6 adj plate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 15:00
S16	7	optical adj touch adj paNEL and transparent adj protect\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 12:50
S17	4	optical adj touch adj paNEL and piezoelectric adj substrate\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 15:12
S18	20	optical and touch adj paNEL and piezoelectric adj substrate\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 16:10
S19	4	optical and touch adj paNEL and piezoelectric adj substrate\$1 and pointing and input adj device and display and transparent and protect\$6 and laminat\$6 and optical and light and beam and substrate\$1 and narrow and elongat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 15:15
S20	9	optical and touch adj paNEL and piezoelectric adj substrate\$1 and pointing and input adj device and display and transparent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 15:17

S21	9	optical and touch adj paNEL and piezoelectric adj substrates and pointing and input adj device and display and transparent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 15:18
S22	9	optical and touch adj paNEL and piezoelectric adj substrates and pointing and input adj device and display and transparent and protect\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 15:19
S23	9	optical and touch adj paNEL and (piezoelectric adj substrates and transparent) and pointing and input adj device and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 15:46
S24	4	optical and touch adj paNEL and (piezoelectric adj substrates and transparent and protect\$6) and pointing and input adj device and display and laminat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 15:20
S25	4	optical and touch adj paNEL and (piezoelectric adj substrates and transparent and protect\$6) and pointing and input adj device and display and light and beam and narrow and elongat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 15:20
S26	9	optical and touch adj paNEL and (piezoelectric adj substrates and transparent and protect\$6) and pointing and input adj device and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 15:45
S27	6	optical and touch adj paNEL and (piezoelectric adj substrates and transparent and protect\$6) and pointing and input adj device and display and light adj beam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 15:34
S28	1363	virtual adj keyboard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 15:24
S29	440	virtual adj keyboard and languages	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 15:24
S30	4	virtual adj keyboard and multi-languages	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 15:24

S31	0	"20010050677" and orthogonal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 16:10
S32	6	optical and touch adj paNEL and piezoelectric adj substrates and orthogonal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 16:11
S33	1	"6091406".pn. and orthogonal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 09:56
S34	0	"6091406".pn. and orthogonal and light adj beam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 09:57
S35	1	"6091406".pn. and orthogonal and (light and beam and optical)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:01
S36	0	"6091406".pn. and infrared	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:01
S37	0	"6091406".pn. and (infrared or IR)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:02
S38	1	"6091406".pn. and (infrared or IR or rf)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:31
S39	2	"20050012724"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:19
S40	0	"20050012724" and light adj beam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:25

S41	1	"20050012724" and optical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:25
S42	0	"6091406".pn. and gray	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:31
S43	0	"6091406".pn. and dark	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:31
S44	0	"6091406".pn. and dent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:31